

X5 FastMig

POSTE MULTI-PROCÉDÉS INDUSTRIEL OFFRANT PLUS
QU'UNE EXCELLENTE SOUDURE





RÉFÉRENCES DE COMMANDE

POSTES À SOUDER

Product name	Product code	Sales package code
X5 Power Source 400	X5110400000	
X5 Power Source 500	X5110500000	
X5 Power Source 400 Pulse	X5130400000	
X5 Power Source 400 Pulse WP	X5130400010	
X5 Power Source 400 Pulse+	X5100400000	
X5 Power Source 400 Pulse+ WP	X5100400010	
X5 Power Source 400 MV Pulse+	X5100400100	
X5 Power Source 400 MV Pulse+ WP	X5100400110	
X5 Power Source 500 Pulse	X5130500000	
X5 Power Source 500 Pulse WP	X5130500010	
X5 Power Source 500 Pulse+	X5100500000	
X5 Power Source 500 Pulse+ WP	X5100500010	
X5 Power Source 400 WP	X5110400010	
X5 Power Source 500 WP	X5110500010	
X5 Power Source 400 MV WP	X5110400110	

DÉVIDOIRS

Product name	Product code	Sales package code
X5 Wire Feeder 200 Manual	X5220200000	
X5 Wire Feeder 300 Manual	X5220300000	
X5 Wire Feeder HD300 M	X5260300000	
X5 Wire Feeder 300 AP	X5240300000	
X5 Wire Feeder 300 APC	X5250300000	
X5 Wire Feeder HD300 AP	X5270300000	
X5 Wire Feeder HD300 APC	X5280300000	

LOGICIEL

Product name	Product code	Sales package code
MAX Cool	MSM70000 (Product code for Master M) X570000 (Product code for X5 FastMig) AX80000 (Product code for AX MIG Welder)	
MAX Position	MSM90000 (Product code for Master M) X590000 (Product code for X5 FastMig) AX60000 (Product code for AX MIG Welder)	



MAX Speed	MSM80000 (Product code for Master M) X580000 (Product code for X5 FastMig) AX70000 (Product code for AX MIG Welder)
WiseFusion	X5500001 (Product code for X5 FastMig) X8500000 (Product code for X8 MIG Welder) MSM40000 (Product code for Master M) AX30000 (Product code for AX MIG Welder)
WisePenetration+	X5500002 (Product code for X5 FastMig) X8500002 (Product code for X8 MIG Welder) MSM50000 (Product code for Master M) AX20000 (Product code for AX MIG Welder)
WiseSteel	X5500000 (Product code for X5 FastMig) X8500001 (Product code for X8 MIG Welder) MSM60000 (Product code for Master M) AX10000 (Product code for AX MIG Welder)
WiseRoot+	X8500003 (Product code for X8 MIG Welder) X5500003 (Product code for X5 FastMig) AX40000 (Product code for AX MIG Welder)
WiseThin+	X8500004 (Product code for X8 MIG Welder) X5500004 (Product code for X5 FastMig) AX50000 (Product code for AX MIG Welder) 9990419 (Product code for FastMig X)
WeldEye ArcVision	9990797
X5 Work Pack Pulse	X5520002
X5 Work Pack 1-MIG	X5520000
Welding Programs, X5 FastMig	Veuillez contacter votre revendeur Kempfi local ou rendez-vous sur la plateforme de logiciels Kempfi.

ACCESSOIRES

Product name	Product code	Sales package code
X5 Cooler	X5600000000	
X5 Cooler MV	X5600000100	
Flexlite TX - X5 FastMig	TX223GE4 (4 m) TX253WSE4 (4 m) TX353WE4 (4 m)	



SuperSnake GTX - dévidoir auxiliaire
(dévidoir auxiliaire)

Kits

SuperSnake GTX GAS 10 m, 50mm²:

P400GTX

SuperSnake GTX GAS 15 m, 50mm²:

P401GTX

SuperSnake GTX GAS 20 m, 50mm²:

P402GTX

SuperSnake GTX GAS 25 m, 50mm²:

P403GTX

SuperSnake GTX WATER 10 m, 50mm²:

P404GTX

SuperSnake GTX WATER 15 m, 50mm²:

P405GTX

SuperSnake GTX WATER 20 m, 50mm²:

P406GTX

SuperSnake GTX WATER 25 m, 50mm²:

P407GTX

SuperSnake GTX WATER 10 m, 70mm²:

P408GTX

Tous les forfaits incluent unité d'entraînement
du moteur SuperSnake GTX et châssis
(SGTXMDUPF01) et câble

Autre

Unité d'entraînement du moteur SuperSnake
GTX: SGTXMDU01

Cadre de protection pour SuperSnake GTX:
SGTXPF01

Unité d'entraînement du moteur SuperSnake
GTX et châssis: SGTXMDUPF01

Dévidoir SuperSnake Kit X5: X5702030000

Câbles

SuperSnake GTXG 10 m, 50 mm²

(revêtement standard FE 1,0-1,6 mm):

SGTXG105CBL

SuperSnake GTXG 15 m, 50 mm²

(revêtement standard FE 1,0-1,6 mm):

SGTXG155CBL

SuperSnake GTXG 20 m, 50 mm²

(revêtement standard FE 1,0-1,6 mm):

SGTXG205CBL

SuperSnake GTXG 25 m, 50 mm²

(revêtement standard FE 1,0-1,6 mm):

SGTXG255CBL

SuperSnake GTXW 10 m, 50 mm²

(revêtement standard FE 1,0-1,6 mm):

SGTXW105CBL

SuperSnake GTXW 15 m, 50 mm²

(revêtement standard FE 1,0-1,6 mm):

SGTXW155CBL

SuperSnake GTXW 20 m, 50 mm²

(revêtement standard FE 1,0-1,6 mm):

SGTXW205CBL

SuperSnake GTXW 25 m, 50 mm²

(revêtement standard FE 1,0-1,6 mm):

SGTXW255CBL

SuperSnake GTXW 10 m, 70 mm²

(revêtement standard FE 1,0-1,6 mm):

SGTXW107CBL



SuperSnake GTX04HD - dévidoir auxiliaire
(dévidoir auxiliaire)

SGTX04HD01 (unité d'entraînement du
moteur et châssis inclus)

Câbles:

SuperSnake GTXG 10 m, 50 mm²
(revêtement standard FE 1,0-1,6 mm):

SGTXG105CBL

SuperSnake GTXG 15 m, 50 mm²
(revêtement standard FE 1,0-1,6 mm):

SGTXG155CBL

SuperSnake GTXG 20 m, 50 mm²
(revêtement standard FE 1,0-1,6 mm):

SGTXG205CBL

SuperSnake GTXG 25 m, 50 mm²
(revêtement standard FE 1,0-1,6 mm):

SGTXG255CBL

SuperSnake GTXW 10 m, 50 mm²
(revêtement standard FE 1,0-1,6 mm):

SGTXW105CBL

SuperSnake GTXW 15 m, 50 mm²
(revêtement standard FE 1,0-1,6 mm):

SGTXW155CBL

SuperSnake GTXW 20 m, 50 mm²
(revêtement standard FE 1,0-1,6 mm):

SGTXW205CBL

SuperSnake GTXW 25 m, 50 mm²
(revêtement standard FE 1,0-1,6 mm):

SGTXW255CBL

SuperSnake GTXW 10 m, 70 mm²
(revêtement standard FE 1,0-1,6 mm):

SGTXW107CB

GXR10

GXR10

HR40

HR40

HR43

HR43

Digital Connectivity Module (DCM) Modbus
TCP

6265051

X5 Gas Cylinder Cart

X5701020000

X5 Trolley Cart

X5701030000

X5 Wire Feeder Trolley

X5702020000

X5 Wire Feeder 2-wheel Trolley

X5702010000

X5 Accessory Tray

X5701040000

GH 20 Gun Holder

6256020

Wire Feeder Cabinet Heater

X8700010000

Wire Feeder Cabinet Heater, X5 200

SP021613

X5 Wire Feeder 200 Protection Frame

X5702080000

X5 Wire Feeder Rotating Plate

SP801116

X5 Double Wire Feeder Rotating Plate

X5702070000

X5 Wire Feeder Hanger for Boom

X5702040000

X5 Double Wire Feeder Hanger for Boom

X5702050000

X5 Wire Feeder Counterbalance Arm

X5702060000

X5 Wire Feeder Gun Support for Wire Feeder
Trolley

X5702092000

X5 Wire Feeder HD300 Cabinet Heater

SP023363

X5 Wire Feeder HD300 Hanger for Boom

X5702041000



X5 Wire Feeder HD300 Protection Sliders with Gun Support	X5702091000
X5 Wire Feeder HD300 Rotameter Kit	SP024832
X5 Wire Feeder HD300 Gas Guard Kit	SP022701
X5 Remote Kits	X5RK5 – X5 Remote Kit 5M X5RK10 – X5 Remote Kit 10M
X5 Interconnection Cable 70-g	X57002MG X5 Interconnection Cable 70-g 2m - X57005MG X5 Interconnection Cable 70-g 5m - X57010MG X5 Interconnection Cable 70-g 10m - X57020MG X5 Interconnection Cable 70-g 20m - X57030MG X5 Interconnection Cable 70-g 30m
X5 Interconnection Cable 70-gV	X57002MGV Interconnection Cable 70-gV 2m - X57005MGV Interconnection Cable 70-gV 5m - X57010MGV Interconnection Cable 70-gV 10m - X57020MGV Interconnection Cable 70-gV 20m - X57030MGV Interconnection Cable 70-gV 30m
X5 Interconnection Cable 70-w	X57002MW X5 Interconnection Cable 70-w 2m - X57005MW X5 Interconnection Cable 70-w 5m - X57010MW X5 Interconnection Cable 70-w 10m - X57020MW X5 Interconnection Cable 70-w 20m - X57030MW X5 Interconnection Cable 70-w 30m
X5 Interconnection Cable 70-wV	X57002MWV X5 Interconnection Cable 70-wV 2m - X57005MWV X5 Interconnection Cable 70-wV 5m - X57010MWV X5 Interconnection Cable 70-wV 10m - X57020MWV X5 Interconnection Cable 70-wV 20m - X57030MWV X5 Interconnection Cable 70-wV 30m
X5 Interconnection Cable 95-gV	X59502MGV (2m)
X5 Interconnection Cable 95-w	X59502MW
X5 Interconnection Cable 95-wV	X59502MWV (2m)
Double Feeder Y-Cable	X570DF000
Power Source Air Filter	SP016870 (10 PCS)
Wire Drum Kit	W012757 Wire Drum Kit, 5m - W012758 Wire Drum Kit, 10m - W012759 Wire Drum Kit, 20m - W012760 Wire Drum Kit, 27m
Digital Connectivity Module	6265051



MMA Welding Cable, 50 mm ²	6184501 Welding Cable 50 mm ² 5 m - 618450101 Welding Cable 50 mm ² 5 m/MYK - 6184502 Welding Cable 50 mm ² 10 m - 6184503 Welding Cable 50 mm ² 15 m
MMA Welding Cable, 70 mm ²	6184701
MMA Welding Cable, 95 mm ²	6184901
Earth Return Cable, 70 mm ²	6184711 Earth Cable 70 mm ² 5 m - 6184712 Earth Cable 70 mm ² 10 m - 6184713 Earth Cable 70 mm ² 15 m - 6184714 Earth Cable 70 mm ² 20 m
Earth Return Cable, 95 mm ²	6184921

WWW.KEMPPI.COM

Kemppi fait figure de leader en matière de conception au sein de l'industrie du soudage à l'arc. Par l'optimisation continue de l'arc de soudage et par nos efforts en faveur d'un monde plus respectueux de l'environnement et plus juste, nous nous engageons à améliorer la qualité et la productivité du soudage. Kemppi propose des produits durables, des solutions numériques et des services pour les professionnels, des sociétés de soudage industriel aux entrepreneurs individuels. La facilité d'utilisation et la fiabilité de nos produits constituent nos principes directeurs. Afin de rendre disponible notre expertise à un niveau local, nous travaillons avec un réseau de partenaires hautement qualifiés couvrant plus de 70 pays. Basé à Lahti, en Finlande, Kemppi emploie près de 800 professionnels dans 16 pays et réalise un chiffre d'affaires de 195 millions d'euros en 2022.

